



DPV \$

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Ho Seob KIM et al. Confirmation No: 2017
Appl. No. : 10/538,284
Filed : June 29, 2005
Title : AN EXTRACTOR FOR AN MICROCOLUMN, AN ALIGNMENT METHOD FOR AN EXTRACTOR APERTURE TO AN ELECTRON EMITTER, AND A MEASURING METHOD AND AN ALIGNMENT METHOD USING THEREOF

TC/A.U. : 2881
Examiner : P.A. Johnston

Docket No.: : KIMH3005/REF/JDG
Customer No: : 23364

PETITION FOR EXTENSION OF TIME

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicants request that the period for response to the outstanding official action in this case be extended pursuant to 37 CFR 1.136 (a) for TWO (2) months to April 17, 2009.

The fee set in 37 CFR 1.17(a)(2) for a two month extension of time is \$245.00 and a check in this amount is submitted herewith. Small entity status has been established. Please charge any additional fee required for this extension to Deposit Account No. 02-0200.

Respectfully submitted,
BACON & THOMAS, PLLC

By:

Jeanne A. Di Grazio
Registration No. 58, 633

625 Slaters Lane - 4th Floor
Alexandria, Virginia 22314
Telephone: (703) 683-0500
Facsimile: (703) 683-1080
EXT 2 MO-SM 16April2009.wpd
April 16, 2009

04/20/2009 SHOHAMME 00000029 10538284

01 FC:2252

245.00 OP